

The Primary Care PTSD Screen for *DSM-IV* (PC-PTSD)

Version date: 2003

Reference: Prins, A., Bovin, M. J., Kimerling, R., 2003. Available from <u>http://www.ptsd.va.gov</u>

URL: <u>http://www.ptsd.va.gov/professional/assess-</u> ment/screens/pc-ptsd.asp

This page intentionally left blank

Primary Care PTSD Screen (PC-PTSD)

Description

The PC-PTSD is a four-item screen that was designed for use in primary care and other medical settings and is currently used to screen for PTSD in Veterans at the Veteran's Affairs. The screen includes an introductory sentence to cue respondents to traumatic events. The authors suggest that in most circumstances the results of the PC-PTSD should be considered "positive" if a patient answers "yes" to any three items. Those screening positive should then be assessed with a structured interview for PTSD. The screen does not include a list of potentially traumatic events.

Scale

Instructions:

In your life, have you ever had any experience that was so frightening, horrible, or upsetting that, in the past month, you:		
1.	Have had nightmares about it or thought about it when you did not want to?	
	□ YES	
2.	Tried hard not to think about it or went out of your way to avoid situations that reminded you of it?	
	□ YES	
3.	Were constantly on guard, watchful, or easily startled?	
	□ YES	
4.	elt numb or detached from others, activities, or your surroundings?	
	□ YES	

Current research suggests that the results of the PC-PTSD should be considered "positive" if a patient answers "yes" to any three items.